

主要参考文献

2 章

- Benson, R. B., Hunt, G., Carrano, M. T., & Campione, N. (2018). Cope's rule and the adaptive landscape of dinosaur body size evolution. *Palaeontology*, 61: 13-48.
- Campione, N. E., & Evans, D. C. (2012). A universal scaling relationship between body mass and proximal limb bone dimensions in quadrupedal terrestrial tetrapods. *BMC Biology*, 10: 1-22.
- Campione, N. E., & Evans, D. C. (2020). The accuracy and precision of body mass estimation in non-avian dinosaurs. *Biological Reviews*, 95: 1759-1797.
- Campione, N. E., Evans, D. C., Brown, C. M., & Carrano, M. T. (2014). Body mass estimation in non-avian bipeds using a theoretical conversion to quadruped stylopodial proportions. *Methods in Ecology and Evolution*, 5: 913-923.
- Gillooly, J. F., Allen, A. P., & Charnov, E. L. (2006). Dinosaur fossils predict body temperatures. *PLoS Biology*, 4: e248.
- Laskar, A. H., Mohabey, D., Bhattacharya, S. K., & Liang, M. C. (2020). Variable thermoregulation of Late Cretaceous dinosaurs inferred by clumped isotope analysis of fossilized eggshell carbonates. *Heliyon*, 6: e05265.
- Sander, P. M., Christian, A., Clauss, M., Fechner, R., Gee, C. T., Griebeler, E. M., Gunga, H.-C., Hummel, J., Mallison, H., Perry, S. F., Preuschoft, H., Rauhut, O. W. M., Remes, K., Tutken, T., Wings, O., & Witzel, U. (2011). Biology of the sauropod dinosaurs: the evolution of gigantism. *Biological Reviews*, 86: 117-155.
- Sassani, N., & Bivens, G. T. (2017). The Chinese colossus: an evaluation of the phylogeny of *Ruyangosaurus giganteus* and its implications for titanosaur evolution. *PeerJ*, 5: e2988v1.
- Wang, M., O'Connor, J. K., Xu, X., & Zhou, Z. (2019). A new Jurassic scansoriopterygid and the loss of membranous wings in theropod dinosaurs. *Nature*, 569: 256-259.
- Wiemann, J., Menéndez, I., Crawford, J. M., Fabbri, M., Gauthier, J. A., Hull, P. M., Norell, M. A., & Briggs, D. E. (2022). Fossil biomolecules reveal an avian metabolism in the ancestral dinosaur. *Nature*, 606: 522-526.

3 章

- Alexander, R. M. (1976). Estimates of speeds of dinosaurs. *Nature*, 261: 129-130.
- Farlow, J. O. (1981). Estimates of dinosaur speeds from a new trackway site in Texas. *Nature*, 294: 747-748.
- Holtz Jr, T. R. (1995). The arctometatarsalian pes, an unusual structure of the metatarsus of Cretaceous Theropoda (Dinosauria: Saurischia). *Journal of vertebrate Paleontology*, 14: 480-519.
- Hutchinson, J. R., & Garcia, M. (2002). *Tyrannosaurus* was not a fast runner. *Nature*, 415: 1018-1021.
- Persons IV, W. S., & Currie, P. J. (2016). An approach to scoring cursorial limb proportions in carnivorous

- dinosaurs and an attempt to account for allometry. *Scientific reports*, 6: 19828.
- Russell, D. A., & Béland, P. (1976). Running dinosaurs. *Nature*, 264: 486-486.
- Snively, E., & Russell, A. P. (2003). Kinematic model of tyrannosaurid (Dinosauria: Theropoda) arctometatarsus function. *Journal of Morphology*, 255: 215-227.
- Thulborn, R. A. (1982). Speeds and gaits of dinosaurs. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 38: 227-256.
- Thulborn, R. A. (1990). *Dinosaur Tracks*. Chapman and Hall, London. Pp. 410.
- van Bijlert, P. A., van Soest, A. K., & Schulp, A. S. (2021). Natural Frequency Method: estimating the preferred walking speed of *Tyrannosaurus rex* based on tail natural frequency. *Royal Society Open Science*, 8: 201441.
- Xing, L. D., Lockley, M. G., Klein, H., Zhang, L. J., Romilio, A., Persons, IV S. W., Peng, G.-Z., Ye, Y., & Wang, M. Y. (2021). The new ichnotaxon *Eubrontes nobitai* ichnosp. nov. and other saurischian tracks from the Lower Cretaceous of Sichuan Province and a review of Chinese *Eubrontes*-type tracks. *Journal of Palaeogeography*, 10: 1-19.

4 章

- Bates, K. T., & Falkingham, P. L. (2012). Estimating maximum bite performance in *Tyrannosaurus rex* using multi-body dynamics. *Biology Letters*, 8: 660-664.
- Bates, K. T., & Falkingham, P. L. (2018). Correction to ‘Estimating maximum bite performance in *Tyrannosaurus rex* using multi-body dynamics’. *Biology Letters*, 14: 20180160.
- Button, D. J., Barrett, P. M., & Rayfield, E. J. (2016). Comparative cranial myology and biomechanics of *Plateosaurus* and *Camarasaurus* and evolution of the sauropod feeding apparatus. *Palaeontology*, 59: 887-913.
- Erickson, G. M., Kirk, S. D. V., Su, J., Levenston, M. E., Caler, W. E., & Carter, D. R. (1996). Bite-force estimation for *Tyrannosaurus rex* from tooth-marked bones. *Nature*, 382: 706-708.
- Gignac, P. M., & Erickson, G. M. (2017). The biomechanics behind extreme osteophagy in *Tyrannosaurus rex*. *Scientific Reports*, 7: 2012.
- Landi, D., King, L., Zhao, Q., Rayfield, E. J., & Benton, M. J. (2021). Testing for a dietary shift in the Early Cretaceous ceratopsian dinosaur *Psittacosaurus lujiatunensis*. *Palaeontology*, 64: 371-384.
- Lautenschlager, S. (2013). Cranial myology and bite force performance of *Erlikosaurus andrewsi*: a novel approach for digital muscle reconstructions. *Journal of Anatomy*, 222: 260-272.
- Ma, W., Pittman, M., Lautenschlager, S., Meade, L. E., & Xu, X. (2020). Functional morphology of the oviraptorosaurian and scansoriopterygid skull. *Bulletin of the American Museum of Natural History*, 440: 229-250.
- Reichel, M. (2010). A model for the bite mechanics in the herbivorous dinosaur *Stegosaurus* (Ornithischia, Stegosauridae). *Swiss Journal of Geosciences*, 103: 235-240.
- Therrien, F., Zelenitsky, D. K., Voris, J. T., & Tanaka, K. (2021). Mandibular force profiles and tooth

morphology in growth series of *Albertosaurus sarcophagus* and *Gorgosaurus libratus* (Tyrannosauridae: Albertosaurinae) provide evidence for an ontogenetic dietary shift in tyrannosaurids. *Canadian Journal of Earth Sciences*, 58: 812-828.

van Eijden, T. M. G. J. (1991). Three-dimensional analyses of human bite-force magnitude and moment. *Archives of Oral Biology*, 36: 535-539.

5 章

Chin, K. (2007). The paleobiological implications of herbivorous dinosaur coprolites from the Upper Cretaceous Two Medicine Formation of Montana: why eat wood? *Palaios*, 22: 554-566.

Chin, K. (2007). What did dinosaurs eat: coprolites and other direct evidence of dinosaur diets. In Brett-Surman, M. K., Holtz, T. R., & Farlow, J. O. eds. *The Complete Dinosaur 2nd Ed.* Indiana University Press, Bloomington and Indianapolis: 589-601.

Chin, K., Eberth, D. A., Schweitzer, M. H., Rando, T. A., Sloboda, W. J., & Horner, J. R. (2003). Remarkable preservation of undigested muscle tissue within a Late Cretaceous tyrannosaurid coprolite from Alberta, Canada. *Palaios*, 18: 286-294.

Chin, K., Feldmann, R. M., & Tashman, J. N. (2017). Consumption of crustaceans by megaherbivorous dinosaurs: dietary flexibility and dinosaur life history strategies. *Scientific Reports*, 7: 11163.

Chin, K., Hartman, J. H., & Roth, B. (2009). Opportunistic exploitation of dinosaur dung: fossil snails in coprolites from the Upper Cretaceous Two Medicine Formation of Montana. *Lethaia*, 42: 185-198.

Chin, K., Tokaryk, T. T., Erickson, G. M., & Calk, L. C. (1998). A king-sized theropod coprolite. *Nature*, 393: 680-682.

Farlow, J. O., Chin, K., Argast, A., & Poppy, S. (2010). Coprolites from the Pipe Creek Sinkhole (Late Neogene, Grant County, Indiana, USA). *Journal of Vertebrate Paleontology*, 30: 959-969.

Ghosh, P., Bhattacharya, S. K., Sahni, A., Kar, R. K., Mohabey, D. M., & Ambwani, K. (2003). Dinosaur coprolites from the Late Cretaceous (Maastrichtian) Lameta Formation of India: isotopic and other markers suggesting a C3plant diet. *Cretaceous Research*, 24: 743-750.

Gunter, N. L., Weir, T. A., Slipinksi, A., Bocak, L., & Cameron, S. L. (2016). If dung beetles (Scarabaeidae: Scarabaeinae) arose in association with dinosaurs, did they also suffer a mass co-extinction at the K-Pg boundary?. *PLoS One*, 11: e0153570.

Hunt, A. P., & Lucas, S. G. (2012). Classification of vertebrate coprolites and related trace fossils. *New Mexico Museum of Natural History and Science Bulletin*, 57: 137-146.

Molnar, R. E., & Clifford, H. T. (2000). Gut contents of a small ankylosaur. *Journal of Vertebrate Paleontology*, 20: 194-196.

Prasad, V., Stromberg, C. A., Alimohammadian, H., & Sahni, A. (2005). Dinosaur coprolites and the early evolution of grasses and grazers. *Science*, 310: 1177-1180.

Vinther, J., Nicholls, R., & Kelly, D. A. (2021). A cloacal opening in a non-avian dinosaur. *Current Biology*, 31: R182-R183.

Vršanský, P., van de Kamp, T., Azar, D., Prokin, A., Vidlička, L. U., & Vagovič, P. (2013). Cockroaches probably cleaned up after dinosaurs. *PLoS One*, 8: e80560.

6 章

Buchholtz, E. (2012). Dinosaur paleoneurology. In Brett-Surman, M. K., Holtz, T. R., & Farlow, J. O. eds. *The Complete Dinosaur 2nd Ed.* Indiana University Press, Bloomington and Indianapolis: 191-208.

Evans, D. C. (2005). New evidence on brain– endocranial cavity relationships in ornithischian dinosaurs. *Acta Palaeontologica Polonica*, 50: 617.

Herculano-Houzel, S. (2017). Numbers of neurons as biological correlates of cognitive capability. *Current Opinion in Behavioral Sciences*, 16: 1-7.

Hurlburt, G. R., Ridgely, R. C., & Witmer, L. M. (2013). Relative size of brain and cerebrum in tyrannosaurid dinosaurs: an analysis using brain-endocast quantitative relationships in extant alligators. In Parrish, J. M., Molnar, R. E., Currie, P. J., & Koppelhus, E. B. eds. *Tyrannosaurid Paleobiology*. Indiana University Press, Bloomington and Indianapolis: 1-21.

Jerison, H. J. (1973). *Evolution of the Brain and Intelligence*. Academic Press, New York. Pp. 482.

Jerison, H. J. (1985). Animal intelligence as encephalization. *Philosophical Transactions of the Royal Society of London. B*, 308: 21-35.

Knoll, F., Lautenschlager, S., Kawabe, S., Martínez, G., Espílez, E., Mampel, L., & Alcalá, L. (2021). Palaeoneurology of the early cretaceous iguanodont *Proa valdearinnensis* and its bearing on the parallel developments of cognitive abilities in theropod and ornithomimid dinosaurs. *Journal of Comparative Neurology*, 529: 3922-3945.

Varricchio, D. J., Hogan, J. D., & Freimuth, W. J. (2021). Revisiting Russell's troodontid: autecology, physiology, and speculative tool use. *Canadian Journal of Earth Sciences*, 58: 796-811.

Zelenitsky, D. K., Therrien, F., & Kobayashi, Y. (2009). Olfactory acuity in theropods: palaeobiological and evolutionary implications. *Proceedings of the Royal Society B*, 276: 667-673.

Zelenitsky, D. K., Therrien, F., Ridgely, R. C., McGee, A. R., & Witmer, L. M. (2011). Evolution of olfaction in non-avian theropod dinosaurs and birds. *Proceedings of the Royal Society B*, 278: 3625-3634.

7 章

Hoyt, D. F. (1979). Practical methods of estimating volume and fresh weight of bird eggs. *Auk*, 96: 73-77.

Norell, M. A., Wiemann, J., Fabbri, M., Yu, C., Marsicano, C. A., Moore-Nall, A., Varricchio, D. J., Pol, D., & Zelenitsky, D. K. (2020). The first dinosaur egg was soft. *Nature*, 583: 406-410.

Starrfelt, J., & Liow, L. H. (2016). How many dinosaur species were there? Fossil bias and true richness estimated using a Poisson sampling model. *Philosophical Transactions of the Royal Society B*, 371: 20150219.

Tanaka, K., Zelenitsky, D. K., Saegusa, H., Ikeda, T., DeBuhr, C. L., & Therrien, F. (2016). Dinosaur eggshell

assemblage from Japan reveals unknown diversity of small theropods. *Cretaceous Research*, 57: 350-363.

Varricchio, D. J., & Barta, D. E. (2014). Revisiting Sabath's "larger avian eggs" from the Gobi Cretaceous. *Acta Palaeontologica Polonica*, 60: 11-25.

Werner, J., & Griebeler, E. M. (2013). New insights into non-avian dinosaur reproduction and their evolutionary and ecological implications: linking fossil evidence to allometries of extant close relatives. *PLoS One*, 8: e72862.

エピローグ

Larson, P. (2008). Variation and sexual dimorphism in *Tyrannosaurus rex*. In Larson, P. L., & Carpenter, K. eds. *Tyrannosaurus rex, the Tyrant King*. Indiana University Press, Bloomington and Indianapolis: 103-128.